## Residential Care Home COVID-19 Preparedness Worksheet

Note: The home will be asked to show this form to any case manager, CTA compliance manger or any other oversight personnel requesting it.

Has anyone in the home been exposed to a COVID-19 positive person within the past 14 days?

Has anyone in the home traveled outside of the state or come into the state within the past 14 days?

Is anyone in the home under self-isolation or quarantine orders?

Does the home have adequate food/hydration for clients, standard precaution and infection control supplies?

How frequently are commonly touched surfaces being disinfected?

What is the home using as a disinfectant and what are the directions on the manufacturer's label for proper disinfecting (is it actually an EPA approved disinfectant for viruses?)

What is the homes isolation plan should someone become infected in the home including the caregiver?

How is the home social distancing without isolating clients to their rooms?

What kinds of activities are being offered to clients?

How often are clients being taken outdoors for fresh air and sunshine which is important for the health of clients?

How is the home handling visitation for clients to ensure clients have frequent contact with their loved ones and family?

Are tissues available for visitors and residents with no touch receptacles for disposal?

Are hand washing supplies including soap and paper towels and/or hand sanitizer available for residents and visitors to use frequently?

Is the home screening visitors when visitors come to the home and are signs posted?

Have all household members, caregivers and residents been educated about the facts of COVID-19 as described from the CDC website.

Has the home posted any of the printable materials available from the CDC website? https://www.cdc.gov/coronavirus/2019-ncov/communication/factsheets.html

Reminder to call the case manager first before taking any client to the ER for any cold symptoms or nonemergency symptoms. Primary care providers and Urgent Care Centers should be used instead of hospital ERs whenever appropriate.